

Sortenbestimmung/Variety determination:

Hepatica Sorte/Typ/variety:

Triloba

nobilis var. nobilis	
nobilis var. glabrata	
nobilis var. pyrenaica	
nobilis f. crenatiloba	
acutiloba (nobilis var. acuta)	

americana (nobilis var. obtusa)	
asiatica (nobilis var. asiatica)	
insularis (nobilis var. insularis)	
japonica f. japonica	
japonica f. lutea	


japonica f. magna	
japonica f. variegata	
pubescens	
maxima	

Angulosa

falconeri	
henry var. henry	
transsilvanica	
yamatutai var. yamatutai	

Hybrida


x eurasia (nobilis x japonica)	
x euroasiatica (transsilvanica x pubescens)	
x harvingtonii (yamatutai x transsilvanica)	
x kristensenae (yamatutai f. marmorata x nobilis var. crenatiloba)	
x maxima x pubescens	
x media (transsilvanica x nobilis)	
x petersii (x schlyteri x transsilvanica)	
x schlyteri (nobilis x maxima)	
x tanss-crenata (transsilvanica x nobilis f. crenatiloba)	
x transs-acut (transsilvanica x acutiloba)	
x transs-falconeri (transsilvanica x falkneri)	
x transs-henryi (transsilvanica x henryi)	
x transsilvanica x maxima	
x transs-japonica (transsilvanica x japonica f. magna)	
x transs-americana	
x henryi x acutiloba	
x henryi x japonica	
x henryi x maxima	
x henryi x americana	
x henryi x pubescens	
x henryi x yamatutai	
x yamatutai x japonica	
x yamatutai x maxima	
x yamatutai x nobilis	
x yamatutai x pubescens	



Blütenbestimmung/flowers determination

Blütenmuster/Floral pattern

- | | |
|--------|---------------------------|
| No. 1 | gemasert/grained |
| No. 2 | geadert/veined |
| No. 3 | gespränkelt/mottled |
| No. 4 | zweifarbig/two-tone |
| No. 5 | variegata/variegata |
| No. 6 | Mitte hell/middle bright |
| No. 7 | Spitze farbig/Colored tip |
| No. 8 | gestreift/striped |
| No. 9 | halb+halb/half + half |
| No. 10 | kopffarbig/head colored |



Farbverteilung/Color distribution

Leicht/Light _____

Mittel/medium _____


Stark/Strong _____


Blütendurchmesser/Flower diameter _____

Blütenfarbe/Flower color R.H.S. Colour Chart _____


Farbgruppe/Color group _____ Karten No./Card No. _____

Blütenform/Flower shape







Staubblatt/Staminea




Löffelform



Spoonshape




Stockform




Stickshape

Spatenform





Spadeshape

Fruchtknoten/Ovarium



Staubblatt/Andrózeum

verteilung/distribution



Hepatica Blattvarianten



H. henryi H. yamatutai H. falconeri ?
H. falconeri x
H. transsilvanica H. transsilvanica



H. nobilis var. nobilis H. nobilis var. obtusa H. nobilis var. acuta H. nobilis var. glabrata



H. maxima



H. nobilis x H. transsilvanica = H. x media



+



=




H. nobilis "Marmorata"

H. nobilis "Crenatiloba"

H. nobilis "Marmor Crenata"



andere "Crenata" sowie "Marmorata" Formen



Laubblatt-Merkmale/Foliage characteristics

Ø cm:	<input type="text"/> <.....>	<input type="text"/> ^.....^
Marmoriert/Marbled	<input type="checkbox"/> behaart/hairy	<input type="checkbox"/>
Leicht/Light	<input type="checkbox"/> Leicht/Light	<input type="checkbox"/>
Mittel/medium	<input type="checkbox"/> Mittel/medium	<input type="checkbox"/>
Stark/Strong	<input type="checkbox"/> Stark/Strong	<input type="checkbox"/>
Blattfarbe/Leaf color		
oben/above	<input type="checkbox"/>	unten/below <input type="checkbox"/>